By Tom W9NBG

The Sun Spots and DX

By Tom W9NBG Sun Spots promote DX Sometimes!!! I have GOOD NEWS and **BAD NEWS.**

The Sun Spots promote DX radio contacts by a chain of events.

We will look at each simple link, one at a time.

?????

Questions, &

Helpful Comments

any time. ????

Unsettling news about the Sun!

Unsettling news about the Sun!

Scientist and Astronomers have discovered that the

Sun.....

Unsettling news about the Sun!

Scientist and astronomers have discovered that the


sun is on FIRE!!!

Fear not, help is on the way. Qualified men have been sent to the Sun.



The information presented here has been gathered over the approximately 70 years of being a ham.

• That's about 70 Sun Spot Cycles. See below that the Cycles are different in intensity.



Ham Radio uses a lot of Jargon.

Ham Radio uses a lot of Jargon.

WHY?

In the beginning of Ham Radio every one used Mores code.

It took years for voice transmissions to be invented.

Jargon or short substitutes for long words or phrases were invented.

Some definitions are

now required so new and old hams are on the same

page.

- 73s = Good by and good hunting.
- 88s = Good by, Love and Kisses to Ham YLs or XYLs.
- "Q" signals are a list of phrases made up of 3 letters all starting with "Q".


- Such as:
- QSO = A Ham Radio

conversation or "Qs".

- QTH = Location.
- QRM = Interference man made.
- QRN = Interference made by nature like Lighting.


•The Sun

 That big yellow thing in the sky that you can see during the day. Will burn your eyes out if you look to long!!!



The Moon • White thing in the sky that has nothing to do with this talk.

The Earth •Were McDonald's is, where you watch TV and where you are now.



What is a Ham Band?

Like AM & FM Radio, the FCC licenses Hams to transmit on frequencies groped together.

What is DX? **A Ham Radio** conversation or QSO over long distances.

What is DX? **On HF bands Ham** signals can travel hundreds or thousands of miles to

What is DX? **On VHF bands and** higher, DX is an unusual contact 2 or more states away.

What is DX?

D=Distance

X=Unknown

What are Sun Spots?


Blemishes on the surface of the Sun that appear in pairs like 2 ends of a "U" shaped magnet.


Sunspots

Sunspots are cooler regions on the Sun caused by a concentration of magnetic field lines.

Some photos are from NASA Websites.

Sun Spots in pairs.






The Sun Spot Cycles usually happen every 11

years.

But there have cycles that have been missed.

 The activity in the Sun is much more violent when Sun Spots are present and very large explosions through into space particles and electromatic waves that can be aimed in the direction of the Earth.



.


•The Magnetic Field of the earth decreases the radiation and particles to protect life here on Earth.

 BUT there is danger to us in space and on other planets like Mars and moons that do not have an **IRON CORE that produces** a Magnetic Field.


How do the Sun Spots help to have long distance Ham contacts?

The radiation and particles that get through the Magnetic Field, <u>lonize the layers</u> in our atmosphere.

LAYERS: With no Sun Spots







• With the 2 layers gone the D layer is not active at this time, but the E2 and F2 layers become **Ionized** and signals bounce off of them.

•What do we mean by bounce???

Reflection like light bouncing from merrier is **not** what is happening.

Here comes the good news.

REFRACTION of the radio signals is what happens as they pass through some layers.

•WHAT IS

REFRACTION?

•WHAT IS

REFRACTION?

A bending of Radio Signals as they pass through lonized Layers.

 Refraction happens smoothly as a curve, but is shown here as straight lines for clarity.

F2 Layer Refraction


•The higher the signals frequency the

•LESS THE BENDING!!

F2 Layer 15M Refraction

20M

 That's why signals on different bands end up on different places on Earth!!!



That's why some bands are not open to work DXIII

•What about the E2 Layer???

What about the E2 Layer??? The E2 Layer can cause 6 Meters to


open.

•What about the D Layer???

 When the Sun Spots are between the midway and the usable highest level, the D Layer absorbers the signals from 160 to 40 meters.

ISES Solar Cycle Sunspot Number Progression


Zoom:



Sunspot Number

Now the BAD


NEWS.



Sunspot Number

Solar Flair





 When a Solar Flair is too large, it over whelms the layers and kills the propagation of the Radio Signals and the HF bands go dead.

• This can last for a number of days or weeks.

•This can last for a number of days or weeks.

•There can be some activity on 20 Meters.

ISES Solar Cycle Sunspot Number Progression

Actual 200 Most HF Bands Dead 150 E Gobd Zone Predicted 100 No Sun Spots 50 ILHF Bands dead 24 I U 2014 2016 2018 2020 2022 2024 2026 2028 2030 2032 2034 2036


Sunspot Number

Zoom:

• Last remarks: Sun Spots cause the Aurora Borealis. VHF bands open and the Beam Antennas should be pointed North to work DX over the North Pole.

Sun Spots also cause Ducting where the Radio Signals get caught between layers and come out far away.

Subjects for another talk.



Any Questions?

The End

By Tom W9NBG

The End